

Prodi Gizi

Template 2022 (1)-1

 Jurnal Ghidza

Document Details

Submission ID**trn:oid::3618:121028084****Submission Date****Nov 12, 2025, 8:26 AM GMT+7****Download Date****Nov 12, 2025, 8:35 AM GMT+7****File Name****Template 2022 (1)-1.docx****File Size****156.0 KB****15 Pages****5,412 Words****34,293 Characters**

17% Overall Similarity

The combined total of all matches, including overlapping sources, for each database.

Filtered from the Report

- Bibliography

Match Groups

-  **27 Not Cited or Quoted** 12%
Matches with neither in-text citation nor quotation marks
-  **25 Missing Quotations** 5%
Matches that are still very similar to source material
-  **0 Missing Citation** 0%
Matches that have quotation marks, but no in-text citation
-  **0 Cited and Quoted** 0%
Matches with in-text citation present, but no quotation marks

Top Sources

- 10%  Internet sources
- 4%  Publications
- 13%  Submitted works (Student Papers)

Integrity Flags

0 Integrity Flags for Review

Our system's algorithms look deeply at a document for any inconsistencies that would set it apart from a normal submission. If we notice something strange, we flag it for you to review.

A Flag is not necessarily an indicator of a problem. However, we'd recommend you focus your attention there for further review.

Match Groups

- 27 Not Cited or Quoted** 12%
Matches with neither in-text citation nor quotation marks
- 25 Missing Quotations** 5%
Matches that are still very similar to source material
- 0 Missing Citation** 0%
Matches that have quotation marks, but no in-text citation
- 0 Cited and Quoted** 0%
Matches with in-text citation present, but no quotation marks

Top Sources

- 10% Internet sources
- 4% Publications
- 13% Submitted works (Student Papers)

Top Sources

The sources with the highest number of matches within the submission. Overlapping sources will not be displayed.

1	Student papers	Konsorsium Turnitin Relawan Jurnal Indonesia on 2025-11-11	7%
2	Internet	res.mdpi.com	<1%
3	Internet	pmc.ncbi.nlm.nih.gov	<1%
4	Internet	repository.unsri.ac.id	<1%
5	Student papers	University of the East Ramon Magsaysay Memorial Medical Center on 2025-10-08	<1%
6	Internet	media.neliti.com	<1%
7	Internet	www.jptam.org	<1%
8	Internet	ejournal.seaninstitute.or.id	<1%
9	Student papers	Forum Perpustakaan Perguruan Tinggi Indonesia Jawa Timur II on 2025-06-25	<1%
10	Publication	Rika Sarfika, Sulistiawati, Esi Afriyanti, I Made Moh. Yanuar Saifudin. "Self-care b...	<1%

11	Student papers	BPP College of Professional Studies Limited on 2025-08-06	<1%
12	Publication	Mila Triana Sari, Dayanto Daryanto, Miko Eka Putri. "Measuring innovation cultur...	<1%
13	Internet	ejournal.unibabwi.ac.id	<1%
14	Internet	orca.cardiff.ac.uk	<1%
15	Internet	www.uksek.org	<1%
16	Student papers	Acelms on 2025-11-07	<1%
17	Publication	Adang Bachtiar, Shania Nursiah Hasri, Cicilya Candi. "Analyzing implementation ...	<1%
18	Student papers	Capella University on 2024-04-16	<1%
19	Student papers	De Montfort University on 2025-09-15	<1%
20	Student papers	London School of Science & Technology on 2025-10-10	<1%
21	Publication	Sabrina L. Li, Michael Emch. "A pyramid of human ecology of disease for pandemi...	<1%
22	Student papers	University of Leicester on 2024-04-23	<1%
23	Student papers	University of Nottingham on 2022-08-28	<1%
24	Student papers	University of Worcester on 2025-09-24	<1%

25	Internet	journals.plos.org	<1%
26	Internet	jurnal.uinsu.ac.id	<1%
27	Internet	jurnal.unismuhpalu.ac.id	<1%
28	Internet	openscholar.dut.ac.za	<1%
29	Student papers	Pan African Christian University on 2025-10-11	<1%
30	Student papers	South Bank University on 2024-03-29	<1%
31	Student papers	UNICAF on 2025-10-26	<1%
32	Student papers	University of Hertfordshire on 2025-01-20	<1%
33	Student papers	University of Lincoln on 2025-04-01	<1%
34	Student papers	University of Melbourne on 2018-03-03	<1%
35	Internet	bmcpublichealth.biomedcentral.com	<1%
36	Internet	core.ac.uk	<1%
37	Internet	journal.gomit.id	<1%
38	Internet	openrepository.aut.ac.nz	<1%

39	Internet	pureadmin.qub.ac.uk	<1%
40	Internet	research.vu.nl	<1%
41	Internet	seps.com.my	<1%
42	Internet	ses.library.usyd.edu.au	<1%
43	Internet	www.g20-insights.org	<1%
44	Publication	"Proceedings of the Andalas International Public Health Conference 2017", BMC P...	<1%
45	Student papers	Brigham Young University on 2025-08-05	<1%
46	Publication	Nicola J. Holt, Sofia Vougioukalou, Victoria Tischler, Elisabetta Corvo. "Routledge ...	<1%
47	Publication	Xiwei Wang, Siguleng Wuji, Yutong Liu, Ran Luo, Chengcheng Qiu. "Study on the i...	<1%
48	Student papers	California Southern University on 2025-11-11	<1%
49	Student papers	Liberty University on 2025-11-11	<1%



A Study of the Impact of Local Leadership (Community Leadership) on the Success of Health Interventions

Siti Umrana¹, Herman², Risnawati³

^{1,3} Program Studi D3 Keperawatan, Sekolah Tinggi Ilmu Kesehatan Karya Kesehatan, Kendari

² Program Studi S1 Keperawatan, Sekolah Tinggi Ilmu Kesehatan Karya Kesehatan, Kendari

Correspondence Email: sitiumrana82@gmail.com

Track Record Article

Accepted:

Published:

Abstract

The effectiveness of health interventions is determined by multiple factors, such as leadership, participation, and environmental support. This study analyzes the determinants and most influential factors contributing to the success of health interventions. A quantitative approach with a cross-sectional analytical design was employed, involving 194 respondents selected through proportional random sampling. Data analysis utilized the chi-square test and logistic regression. The findings indicate that leadership capacity ($p=0.021$; $OR=2.130$), participation ($p=0.000$; $OR=3.640$), communication skills ($p=0.000$; $OR=8.016$), support in decision making ($p=0.000$; $OR=4.800$), access to health facilities ($p=0.000$; $OR=4.759$), local culture and norms ($p=0.012$; $OR=2.231$), transformational leadership style ($p=0.000$; $OR=15.171$), and servant leadership style ($p=0.011$; $OR=2.231$) significantly affect the success of health interventions. In contrast, community credibility and trust ($p=0.869$) and regional policies ($p=0.843$) do not demonstrate a significant effect. These results confirm that leadership quality and participatory support, particularly transformational leadership style and effective communication skills, are critical to the success of health interventions.

Keyword: Health interventions; leadership; participation; communication; transformational leadership.

INTRODUCTION

Public health interventions in various regions are often influenced by a variety of local factors that determine their effectiveness. In many cases, health programs fail to achieve optimal results due to a lack of adaptation to local needs and dynamics, which then creates a gap between policy objectives and field results. For example, maternal and child health interventions, immunization, or chronic disease management often encounter barriers to community participation, lack of trust, and minimal transparency in implementation (Gholipour et al., 2023; Mahmoodi et al., 2023). In this context, the power and role of community leaders become increasingly crucial as a bridge between the formal health system and the community (Okechi et al., 2025). Local leadership involves not only the capacity to

Author names dkk / Scientific Periodical of Public Health and Coastal 4(2),2022 , halaman 87-99 (10pt, all caps, Cambria, Normal)

organize and mobilize residents, but also to bridge community values, norms, and expectations into health intervention strategies (Naing et al., 2023).

Various global institutions highlight the importance of community involvement in strengthening health interventions. The US Centers for Disease Control and Prevention (CDC), the Institute of Medicine (IOM), the Robert Wood Johnson Foundation (RWJF), and the National Institutes of Health (NIH) explicitly encourage community-based approaches to addressing chronic diseases through cross-sector collaboration led or facilitated by local communities (Gibbons & Pérez-Stable, 2024; Akintobi et al., 2025). Furthermore, a collective of researchers in the CDC-PCD (2025) publication stated that the relationship of mutual trust built with the community, their position as decision-makers in the program planning and evaluation process, and their function as active partners are important foundations in preventing disease and improving population health. This illustrates that community leaders are not merely facilitators but core agents in the success of public health interventions (Kwang et al., 2025; Akintobi et al., 2025).

Recent research also supports this argument in Bangladesh, for example, where Participatory Learning and Action (PLA) interventions carried out by local facilitators (both male and female) significantly reduced the incidence and prevalence of type 2 diabetes, and demonstrated good cost-effectiveness (Akter et al., 2023). In addition, a study in Uganda that held health accountability meetings between communities and local political leaders show positive perceptions of service quality and community awareness of their health rights (Lee et al., 2024). Similar findings were also seen in research on collaborative leadership in fall prevention initiatives among the elderly population in Canada, which highlighted how public health professionals acted as collaborative leaders to encourage cross-sector community participation (Markle-Reid et al., 2017).

However, despite numerous studies supporting the importance of local leadership, there is still a gap that needs to be filled. Most studies still focus on evaluating the effectiveness of interventions without comprehensively mapping the specific mechanisms through which community leadership contributes to health outcomes. Furthermore, there is still little research examining the role of leadership styles (e.g., transformational, servant) in the context of local communities. Even in the public health management literature, some studies suggest that public leadership behavior contributes significantly to the success of health services, but they are limited in empirically examining actual practices at the community level (Zia ud din et al.,

Author names dkk / Scientific Periodical of Public Health and Coastal 4(2),2022 , halaman 87-99 (10pt, all caps, Cambria, Normal)

2024). This gap calls for research that not only measures impact, but also explains “how” and “why” local leadership strengthens the success of health interventions.

Another study from South Africa highlights the importance of leadership and governance in community health worker (CHW) programs, where adapting national policies to local practices is a crucial challenge. Local leadership plays an important role in choosing the structure of authority delegation, regulating horizontal and vertical accountability, and shaping responsiveness to community needs (Mantell et al., 2022). Meanwhile, the theoretical framework of the National Academies of Sciences states that capacity building, collective organization, and community leaders are the basis for the success of sustainable interventions to achieve equity in health (Farhang & Morales, 2022). Both emphasize that local leadership is not merely an additional element, but rather a structural foundation for relevant, inclusive, and sustainable development interventions.

Based on these gaps, this study presents an innovation through a quantitative analysis approach to explore the specific mechanisms (aspects of leadership style, access to health facilities, regional policies, and local culture/norms) of community leaders in supporting health interventions, in this case focusing on maternal and child health interventions. Therefore, this study aims to identify the determinants of local leadership on the effectiveness of public health interventions (specifically maternal and child health).

METHODS

This study uses a quantitative design with a cross-sectional approach. This approach was chosen because it is suitable for assessing the relationship between local leadership variables and the success of health interventions at a specific point in time. The cross-sectional method allows researchers to obtain a comprehensive picture of the extent to which local leadership characteristics are related to the level of success of health interventions in the target community without having to conduct long-term observations. The study was conducted in the working area of the Lepo-Lepo community health center, which has a track record of community-based health interventions carried out in May 2025. The research population consisted of all people living in the target area of the health intervention who had an active community leadership structure. From this population, a sample of 194 respondents was determined. The sampling method used was proportional random sampling. Each neighborhood unit (RT/RW) in the sub-district received a proportion of respondents according to the population size, and then respondents were selected at random. This technique was used

Author names dkk / Scientific Periodical of Public Health and Coastal 4(2),2022 , halaman 87-99 (10pt, all caps, Cambria, Normal)

so that all parts of the population had an equal chance of being sampled, while ensuring that respondents from each area were represented.

The analysis was carried out in several stages, namely Univariate analysis, Bivariate analysis, using Chi-Square test to examine the relationship between local leadership and the success of health interventions. Multivariate analysis used logistic regression to identify the leadership variables that most influence the success of health interventions. The results of the analysis are presented in the form of distribution tables, contingency tables, and regression models, accompanied by narrative interpretation of the results. The presentation is systematic to facilitate readers' understanding of the research findings. This study has gone through ethical review process by the Research Ethics Commission of Hang Tuah Health College, Surabaya Number: PE/185/III/2025/KEP/SHT.

RESULTS

Table 1 Characteristics of Respondents (n=194)

Diseases Suffered		
	Frequency	Percentage (%)
Mother's Education		
Low	63	32.5
High	131	67.5
Mother's Age		
At-risk	33	17.0
Non-risk	161	83.0
Household Income		
Low	95	49.0
High	99	51.0
Mother's Occupation		
Housewife	22	11.3
Working	172	88.7

Table 1 shows that the majority of respondents were mothers with a high level of education, at 67.5%, while those with low education were 32.5%. In terms of age, the majority of mothers were in the non-risk category (83.0%), while only 17.0% were in the at-risk category. In terms of household income, the composition was relatively balanced, although there were more high-income mothers (51.0%) than low-income mothers (49.0%). Meanwhile,

Author names dkk / Scientific Periodical of Public Health and Coastal 4(2),2022 , halaman 87-99 (10pt, all caps, Cambria, Normal)

in terms of occupation status, the majority of mothers were working mothers (88.7%), while only 11.3% were housewives.

Table 2. Determinants of Local Leadership on the Success of Health Interventions

Variables	Effectiveness of Health Interventions						P-Value	OR
	Unsuccessful		Succesful		Total			
	n	%	n	%	n	%		
Mother's Height								
Short <150cm	23	18.0	23	18.0	46	100	0.046	2.727
Normal ≥150cm	11	16.0	30	25.0	41	100		(1.108-6.713)
Pregnancy Spacing								
< 24 months	4	6.6	13	10.4	17	100	0.235	0.410
≥ 24 months	30	27.4	40	42.6	70	100		(0.122-1.385)
Family Income								
Low	31	25.8	35	40.2	66	100	0.016	5.314
High	3	8.2	18	12.8	21	100		(1.428-19.782)
Water Supply and Sanitation								
Unhealthy Environment	25	19.5	25	30.5	50	100	0.028	3.111
Healthy Environment	9	14.5	28	22.5	37	100		(1.223-7.912)
Food Diversity								
Not diverse	2	1.2	1	1.8	3	100	0.693	3.250
Diverse	32	32.8	52	51.2	84	100		(0.283-37.307)
Exclusive Breastfeeding								
Not Exclusive Breastfeeding	5	5.5	9	8.5	14	100	1.000	0.843
Exclusive Breastfeeding	29	28.5	44	44.5	73	100		(0.257-2.769)
History of Early Breastfeeding Initiation								
Not Early Breastfeeding Initiation	5	6.6	12	10.4	17	100	0.526	0.589
Early Breastfeeding Initiation	29	27.4	41	42.6	70	100		(0.187-1.854)

The results in Table 2 show that leadership capacity has a significant relationship with the effectiveness of health interventions. Respondents with good leadership capacity were more successful in health interventions (52.8%) than those with less capacity (31.2%). A p-value of 0.021 indicates a significant relationship, with an odds ratio (OR) of 2.130, meaning that good

Author names dkk / Scientific Periodical of Public Health and Coastal 4(2),2022 , halaman 87-99 (10pt, all caps, Cambria, Normal)

leadership capacity approximately doubles the chances of intervention success. In the participation and involvement variables, a clear difference was observed. Intervention success was higher among respondents with good participation (47.6%) compared to those with less participation (36.4%). This relationship was significant with a p-value of 0.000 and an OR of 3.640, indicating that good participation can increase the chances of effectiveness by up to 3.6 times. Meanwhile, credibility and public trust did not show a significant relationship with the effectiveness of the intervention. Respondents with good credibility had a higher success rate (79.2%) compared to those with less credibility (42.9%), but the p-value of 0.869 indicates that the relationship was not statistically significant. The OR of 1.359 also confirms that the effect is not significant.

In contrast to credibility, communication skills demonstrated highly significant results. Respondents with good communication skills achieved a 64.5% success rate, significantly higher than those with poor communication skills (19%). A p-value of 0.000 and an OR of 8.016 indicate that good communication increases the chances of intervention effectiveness by eightfold. Support in decision-making also had a significant impact. Respondents with good support demonstrated a 46.4% success rate, compared to those with poor support only 10%. With a p-value of 0.000 and an OR of 4.002, it can be concluded that support in the decision-making process increases the likelihood of success fourfold. Access to health facilities also proved to be significantly related. Intervention success was higher among those with good access (34.6%) compared to those with poor access (49.4%). A p-value of 0.000 and an OR of 4.759 indicate that good access to health facilities increases the chances of success almost fivefold.

In contrast, regional policies did not show a significant relationship. A p-value of 0.843 and an OR of 0.882 indicate that regional policies had no significant effect on the effectiveness of health interventions. Local culture and norms did have a significant influence. Respondents who supported good local culture and norms had a 48.9% success rate, compared to 35.1% in the less supportive group. A p-value of 0.012 with an OR of 2.231 indicates that good local culture and norms doubled the chances of effectiveness. The transformational leadership style also proved significant. Respondents with a good transformational leadership style were more successful (49.4%) than those with a less supportive style (19.5%). A p-value of 0.000 with an OR of 4.457 indicates that good transformational leadership increased the likelihood of intervention effectiveness by approximately four and a half times. Finally, service leadership

Author names dkk / Scientific Periodical of Public Health and Coastal 4(2),2022 , halaman 87-99 (10pt, all caps, Cambria, Normal)

style was also significantly related to intervention effectiveness. Respondents with a good service leadership style showed higher effectiveness (46.8%) than those with a less supportive style (37.2%). With a p-value of 0.011 and an OR of 2.231, it can be concluded that good service leadership increases the chances of effectiveness of health interventions more than twofold.

Table 3. *The Most Influential Factors on the Effectiveness of Health Interventions*

Independent Variables	B	p-value	OR	95% CI
Leadership Capacity	1.712	0.001	5.541	1.989-15.434
Participation and Involvement	1.374	0.003	3.949	1.612-9.673
Communication Skills	1.563	0.008	4.773	1.504-15.143
Supports in Decision-making	1.372	0.006	3.944	1.473-10.562
Access to Health Facilities	1.871	0.000	6.493	2.556-16.493
Transformational Leadership Style	2.518	0.000	12.409	4.333-35.538

Based on the analysis results in Table 3, all tested variables were shown to significantly influence the effectiveness of health interventions. These factors include leadership capacity, participation and involvement, communication skills, support in decision-making, access to health facilities, and transformational leadership style. This indicates that the effectiveness of health interventions is influenced by a combination of individual factors, social support, and the availability of adequate facilities. Of all the variables studied, the most dominant factor was transformational leadership style, with an OR of 12.409, meaning leaders with a transformational style were more than 12 times more likely to achieve intervention success than leaders who did not. Thus, the role of transformational leadership is crucial in encouraging participation, strengthening communication, and maximizing existing support and facilities so that health interventions can be more effective.

DISCUSSION

Theoretically, leadership capacity is seen as a central factor bridging policy formulation with practical implementation on the ground. Both organizational change theory and transformational leadership emphasize that a clear vision, effective communication, member empowerment, and networking skills are key elements in ensuring the success of an intervention (Restivo et al., 2022). Furthermore, effective leadership is understood not only as an individual attribute, but as a collective capacity that includes building collaborative

Author names dkk / Scientific Periodical of Public Health and Coastal 4(2),2022 , halaman 87-99 (10pt, all caps, Cambria, Normal)

mechanisms, strengthening accountability, and optimizing resources. This enables organizations to better adapt to local contexts, thereby increasing the effectiveness of health interventions (Zia ud din et al., 2024).

Recent empirical findings confirm these theoretical constructs. Results of systematic reviews and meta-analyses indicate a positive relationship between leadership capacity and service performance, including adherence to guidelines and teamwork effectiveness, although the effects vary depending on the context and leadership style applied (Restivo et al., 2022). Action-based research in rural healthcare also shows that collaboratively designed leadership development programs can encourage a shift from "individual leadership" to distributed leadership. This model has proven more appropriate for improving the quality of primary care and aligns with evidence that public leadership that supports collaborative administration contributes to improved health delivery success (Hartviksen et al., 2024; Zia ud din et al., 2024).

Another significant finding is the variable of community participation, support in decision-making, and access to health facilities. All of this strengthens the theory of social determinants of health, which states that active community involvement and easy access to services are key to reducing inequality and increasing the effectiveness of interventions (Michener et al., 2025). This finding is also in line with the collaborative model in public health governance where good leadership can encourage cross-partnership collaboration and collective administration, which ultimately improves health delivery (Zia ud din et al., 2024). Recent studies highlight that groups experiencing social exclusion bear the brunt of inequalities due to inadequate access to services, and outreach strategies and coverage-based services have been shown to bridge structural barriers and reduce outcome disparities (Johnson et al., 2025). In primary facilities, principles of coordinated practice across the system including social integration of health and a focus on vulnerable populations are seen as important for reducing disparities (Gkiouleka et al., 2023). In line with this, WHO emphasizes that investing in partnerships and co-production with communities strengthens trust, improves the service experience, and ultimately increases the quality and safety of services (World Health Organization, 2024).

In Indonesia, the principles of community participation, support in decision-making, and access to health services have been widely realized through the Posbindu PTM and Posyandu programs. These two institutions provide tangible means for residents to engage in community-based health management. Through health cadres, communities are not only recipients of

Author names dkk / Scientific Periodical of Public Health and Coastal 4(2),2022 , halaman 87-99 (10pt, all caps, Cambria, Normal)

services but also play an active role in providing education, conducting early detection of non-communicable diseases, and facilitating referrals to community health centers. Recent research shows that the presence of Posbindu significantly increases public awareness of risk factors for chronic diseases and strengthens a sense of ownership of health programs (Siswati et al., 2022). Furthermore, efforts to expand access to healthcare services are also reflected in the National Health Insurance (JKN) program. This program allows vulnerable groups to gain more equal access to primary and referral services. Studies show that JKN implementation has contributed to increased healthcare utilization, particularly among poor households, although challenges remain in terms of facility distribution and service quality (Agustina et al., 2019; Soraya et al., 2023).

The variable of communication ability also proved to have a strong influence, giving the implication that clear, consistent communication, and carried out by a trusted source, plays an important role in increasing compliance with health interventions. This is supported by research on non-pharmaceutical communication during the COVID-19 pandemic in the UK, which concluded that information delivered clearly, consistently, and by a trusted authority is able to increase the adoption of public health behaviors (Williams et al., 2023). This also aligns with the concept of social and behavior change communication (SBCC), which emphasizes adaptive, research-based communication strategies and audience segmentation to create an environment that supports long-term behavior change. This approach is not only focused on the individual but also integrates social and cultural factors that influence behavior, resulting in a broader impact on society. Thus, the implementation of SBCC can make a substantial contribution to improving public health and strengthening social awareness (Pal Kaur, 2022).

Interestingly, community credibility and trust, as well as local policies, did not show significant effects, which may contradict initial expectations that reputation and policies would provide a stable basis for interventions. This may be due to the local context of the study, where direct interactions between leaders and communities proved more impactful than formal policies or reputation alone, indicating that local context and dynamics still strongly influence intervention effectiveness, and that universal theories need to be reexamined in specific contexts. Qualitative studies in Aceh have shown that although health cadres are an integral part of the community, their presence does not automatically translate into credibility. This* credibility is only established when cadres have institutional support and are able to articulate health information within a framework that is perceived as valid by residents (Randell et al., 2024). These findings suggest that community-based reputation does not necessarily equate to

Author names dkk / Scientific Periodical of Public Health and Coastal 4(2),2022 , halaman 87-99 (10pt, all caps, Cambria, Normal)

legitimacy, and that structural support remains necessary to strengthen the role of local agents. Furthermore, comparative research in Jakarta and South Sulawesi confirms that public trust in government varies significantly across regions. Jakarta residents demonstrate higher levels of trust in the government, resulting in relatively better compliance with health protocols. Conversely, residents in South Sulawesi tend to be skeptical of government policies, despite their high awareness of the health risks they face (Reid et al., 2022; Tuti et al., 2022). This indicates that policy legitimacy is inextricably linked to local socio-political dynamics, and that public acceptance is strongly influenced by the level of trust in institutions.

Cultural variables and local norms were found to have a significant positive impact on intervention success, supporting the literature on cultural competence, which suggests that health interventions that respect local norms, values, and culture are more easily accepted and sustained. These findings reinforce the importance of designing interventions that are not only evidence-based but also culturally sensitive and participatory. In the Indonesian context, recent reviews have shown that cultural sensitivity, such as leveraging the culture of mutual cooperation (gotong royong), involving families, and respecting spiritual beliefs, can empower patients and strengthen the acceptance of community health interventions. Such cultural strategies promote effective behavior change, particularly in lower-middle-income countries (Cipta et al., 2024). In the realm of health education in Indonesia, the use of methods associated with culture such as the use of regional languages, traditional stories, wayang, and involving traditional/religious leaders in health promotion has been proven to increase patient understanding and compliance, for example in diabetes diets or smoking prevention because the material is delivered in a familiar and emotional context (Cipta et al., 2024). Theoretically, integrating cultural norms into health interventions allows for more inclusive and responsive service delivery, fostering a sense of belonging and trust. The principles of cultural competence highlight the importance of developing cultural awareness, cultural knowledge, cross-cultural communication skills, and a desire to understand the patient's culture (Chowdhury et al., 2022).

Transformational leadership style significantly increases the success of health interventions, which is theoretically in line with the concept that transformational leaders are able to convey a shared vision, inspire, and motivate team members to maximize their potential, this finding is consistent with a recent scoping review that describes transformational leadership as a foundation for creating a positive, innovative, and patient safety-focused work environment in health organizations (Tsapnidou et al., 2024), as well as interventional trials on head nurses which showed an increase in staff performance after the implementation of this

Author names dkk / Scientific Periodical of Public Health and Coastal 4(2),2022 , halaman 87-99 (10pt, all caps, Cambria, Normal)

leadership style (Mushtaq et al., 2022). Transformational leadership not only plays a crucial role in maintaining patient safety but also positively impacts the motivation, satisfaction, and performance of healthcare workers. Through this leadership style, leaders are able to inspire and encourage employees to transcend personal interests for shared goals, thereby creating a more adaptive, collaborative, and quality-driven organizational culture. Thus, transformational leadership can be a strategic factor in building a productive and sustainable work environment in the healthcare sector (Torar & Wulandari, 2023).

Theoretically, servant leadership is viewed as an approach that emphasizes the needs of subordinates, builds staff capacity, and creates a safe psychological climate. This perspective aligns with the Job Demands–Resources framework, which emphasizes the importance of leader support as a work resource for enhancing well-being, motivation, and innovation, thus supporting the success of health interventions. Empirical evidence suggests that servant leadership promotes psychological safety and innovative behavior in public employees (Xiao et al., 2025), and is positively related to patient safety culture and organizational performance in the health sector (Demeke et al., 2024; Demeke et al., 2025). Field research also confirms the impact of this style on improving work quality, organizational citizenship behavior, and reducing burnout among nurses, which ultimately improves continuity of service and patient satisfaction (Bayati et al., 2025). Further qualitative studies revealed that servant leadership practices, such as two-way communication and professional development, strengthened the implementation of clinical safety (Demeke et al., 2025). Although consistently positive, the literature emphasizes the existence of mediators such as psychological safety and moderators such as public service motivation that influence the strength of this relationship, so that the implementation of servant leadership needs to be adapted to the organizational context (Demeke et al., 2024; Xiao et al., 2025).

The findings of this study have several important practical implications for public health. First, they emphasize that effective interventions require leaders capable of inspiring and facilitating transformational change, not just managing technical matters. Second, communication is a core skill that must be developed at every level of health management, particularly given its role in strengthening community compliance and trust. Third, strengthening community participation and access directly expands the inclusiveness and equity of interventions. Fourth, equipping interventions with local cultural sensitivity not only strengthens program acceptance but also enhances relevance and sustainability.

CONCLUSIONS

This study demonstrates that local leadership plays a crucial role in determining the effectiveness of health interventions at the community level, as leaders who are able to inspire, build collaboration, and mobilize community participation have been shown to strengthen local capacity, create a sense of ownership, and ensure the sustainability of programs. Based on these findings, central and regional governments are expected to support the development of local leadership capacity through policies, training, and ongoing mentoring, while health institutions or related agencies can strengthen partnerships with community leaders to increase program acceptance. For future researchers, it is important to further explore the most effective leadership mechanisms in various social and cultural contexts so that more applicable community leadership models can be formulated to strengthen health interventions and improve community health equitably.

REFERENCES

- Agustina, R., Dartanto, T., Sitompul, R., Susiloretni, K. A., Suparmi, Achadi, E. L., Taher, A., Wirawan, F., Sungkar, S., Sudarmono, P., Shankar, A. H., Thabrany, H., Agustina, R., Dartanto, T., Sitompul, R., Susiloretni, K. A., Suparmi, Achadi, E. L., Taher, A., ... Khusun, H. (2019). Universal health coverage in Indonesia: concept, progress, and challenges. *The Lancet*, 393(10166), 75–102. [https://doi.org/10.1016/S0140-6736\(18\)31647-7](https://doi.org/10.1016/S0140-6736(18)31647-7)
- Akintobi, T. H., Bailey, R. E., & Michener, J. L. (2025). Harnessing the Power of Community Engagement for Population Health. *Preventing Chronic Disease*, 22, E25. <https://doi.org/10.5888/pcd22.250189>
- Akter, K., Kuddus, A., Jeny, T., Nahar, T., Shaha, S., Ahmed, N., King, C., Pires, M., Haghparast-Bidgoli, H., Azad, K., Fottrell, E., & Morrison, J. (2023). Stakeholder perceptions on scaling-up community-led interventions for prevention and control of non-communicable diseases in Bangladesh: a qualitative study. *BMC Public Health*, 23(1), 719. <https://doi.org/10.1186/s12889-023-15551-9>
- Bayati, M. M., Sadeghi, A., Jamasbi, M. M., & Tapak, L. (2025). Servant leadership, work-life quality, and organizational citizenship behavior in nurses: a cross-sectional design. *BMC Nursing*, 24(1), 561. <https://doi.org/10.1186/s12912-025-03209-3>
- Chowdhury, D., Baiocco-Romano, L., Sacco, V., El Hajj, K., & Stolee, P. (2022). Cultural Competence Interventions for Health Care Providers Working With Racialized Foreign-born Older Adults: Protocol for a Systematic Review. *JMIR Research Protocols*, 11(7), e31691. <https://doi.org/10.2196/31691>
- Cipta, D. A., Andoko, D., Theja, A., Utama, A. V. E., Hendrik, H., William, D. G., Reina, N., Handoko, M. T., & Lumbuun, N. (2024). Culturally sensitive patient-centered healthcare: a focus on health behavior modification in low and middle-income nations-

Author names dkk / Scientific Periodical of Public Health and Coastal 4(2),2022 , halaman 87-99 (10pt, all caps, Cambria, Normal)

- insights from Indonesia. *Frontiers in Medicine*, 11, 1353037. <https://doi.org/10.3389/fmed.2024.1353037>
- Demeke, G. W., van Engen, M. L., & Markos, S. (2024). Servant Leadership in the Healthcare Literature: A Systematic Review. *Journal of Healthcare Leadership*, 16(null), 1–14. <https://doi.org/10.2147/JHL.S440160>
- Demeke, G. W., van Engen, M. L., & Markos, S. (2025). Servant leadership and patient safety culture in Ethiopian public hospitals: a qualitative study. *BMC Health Services Research*, 25(1), 984. <https://doi.org/10.1186/s12913-025-13118-5>
- Farhang, L., & Morales, X. (2022). Building Community Power to Achieve Health and Racial Equity: Principles to Guide Transformative Partnerships with Local Communities. *NAM Perspectives*, 6. <https://doi.org/10.31478/202206d>
- Gholipour, K., Shokri, A., Yarahmadi, A. A., Tabrizi, J. S., Iezadi, S., Naghibi, D., & Bidarpoor, F. (2023). Barriers to community participation in primary health care of district health: a qualitative study. *BMC Primary Care*, 24(1), 117. <https://doi.org/10.1186/s12875-023-02062-0>
- Gibbons, G. H., & Pérez-Stable, E. J. (2024). Harnessing the Power of Community-Engaged Research. *American Journal of Public Health*, 114, S7–S11. <https://doi.org/10.2105/AJPH.2023.307528>
- Gkiouleka, A., Wong, G., Sowden, S., Bambra, C., Siersbaek, R., Manji, S., Moseley, A., Harmston, R., Kuhn, I., & Ford, J. (2023). Reducing health inequalities through general practice. *The Lancet Public Health*, 8(6), e463–e472. [https://doi.org/10.1016/S2468-2667\(23\)00093-2](https://doi.org/10.1016/S2468-2667(23)00093-2)
- Hartviksen, T. A., Solbakken, R., Strauman, L., & Magnussen, I.-L. (2024). Co-creating a continuous leadership development program in rural municipal healthcare – an action research study. *BMC Health Services Research*, 24(1), 656. <https://doi.org/10.1186/s12913-024-11096-8>
- Johnson, L., Gaber, S. N., Langella, R., Turner-Moss, E., Weleff, J., Brothers, T., Koay, A., Hayward, A. C., Luchenski, S., Perri, P., Story, A., Sultan, B., & Siersbaek, R. (2025). Outreach health-care services for people experiencing exclusion in high-income countries. *The Lancet Public Health*, 10(9), e784–e793. [https://doi.org/10.1016/S2468-2667\(25\)00144-6](https://doi.org/10.1016/S2468-2667(25)00144-6)
- Kwang, E., Ansu-Mensah, M., Pillay, J. D., & Kuupiel, D. (2025). Collaborations between local health authorities and community leaders in responding to health emergencies in low- and-middle-income countries: a scoping review protocol. *Systematic Reviews*, 14(1), 134. <https://doi.org/10.1186/s13643-025-02883-3>
- Lee, H., Fiseha, N., Bateisibwa, J., Moyer, C. A., Greenberg, J., & Maffioli, E. (2024). Community perceptions of health accountability meetings with local politicians to improve healthcare quality: a qualitative study in Western Uganda. *BMC Public Health*, 24(1), 3526. <https://doi.org/10.1186/s12889-024-21025-3>
- Mahmoodi, H., Bolbanabad, A. M., Shaghaghi, A., Zokaie, M., Gheshlagh, R. G., & Afkhamzadeh, A. (2023). Barriers to implementing health programs based on community participation: the Q method derived perspectives of healthcare professional. *BMC Public Health*, 23(1), 2019. <https://doi.org/10.1186/s12889-023-16961-5>

Author names dkk / Scientific Periodical of Public Health and Coastal 4(2),2022 , halaman 87-99 (10pt, all caps, Cambria, Normal)

- Mantell, J. E., Masvawure, T. B., Zech, J. M., Reidy, W., Msukwa, M., Glenshaw, M., Grund, J., Williams, D., Pitt, B., & Rabkin, M. (2022). "They are our eyes outside there in the community": Implementing enhanced training, management and monitoring of South Africa's ward-based primary healthcare outreach teams. *PloS One*, 17(8), e0266445. <https://doi.org/10.1371/journal.pone.0266445>
- Markle-Reid, M., Dykeman, C., Ploeg, J., Kelly Stradiotto, C., Andrews, A., Bonomo, S., Orr-Shaw, S., & Salker, N. (2017). Collaborative leadership and the implementation of community-based fall prevention initiatives: a multiple case study of public health practice within community groups. *BMC Health Services Research*, 17(1), 141. <https://doi.org/10.1186/s12913-017-2089-3>
- Michener, J. L., Williams, A., Oto-Kent, D., & Aguilar-Gaxiola, S. A. (2025). Community Engagement: A Foundation for Health Equity and Resilience. *American Journal of Public Health*, 115, S104–S109. <https://doi.org/10.2105/AJPH.2025.308029>
- Mushtaq, K., Hussain, M., & Parveen, K. (2022). Impact of transformational leadership intervention of head nurses among front-line soldiers (staff nurses) working in government hospital. *JPMA. The Journal of the Pakistan Medical Association*, 72(10), 1998–2002. <https://doi.org/10.47391/JPMA.4167>
- Naing, C., Htet, N. H., Tung, W. S., Aung, H. H., & Whittaker, M. A. (2023). Facilitators and barriers to engaging communities in health service research on dengue control in Indo-Pacific region: a systematic review. *BMC Public Health*, 23(1), 1924. <https://doi.org/10.1186/s12889-023-16845-8>
- Okechi, B., Orjiakor, C. T., Nwokolo, C., Ajaero, C., Das, M., & Onwujekwe, O. (2025). Community leaders' perspectives on linking formal and informal health providers in Nigerian urban slums: a qualitative study. *Discover Social Science and Health*, 5(1), 61. <https://doi.org/10.1007/s44155-025-00205-5>
- Pal Kaur, V. (2022). Social and behavior change communication. *International Journal of Advances in Nursing Management*, 10(01), 53–56. <https://doi.org/10.52711/2454-2652.2022.00014>
- Randell, M., Li, M., Rachmi, C. N., Jusril, H., Abimbola, S., Tama, A. Y., Aswitama, T., Phebe, N., Sulasmi, Alam, N. A., Negin, J., & Bernays, S. (2024). 'Of' the community but not 'of' the health system: Translating community health workers' knowledge into credible advice in Aceh, Indonesia. *Discover Health Systems*, 3(1), 5. <https://doi.org/10.1007/s44250-024-00069-7>
- Reid, S., Robbins-Hill, A., Ansariadi, & Lawler, S. (2022). *Jakartans trust the government more compared to people in South Sulawesi, and that influenced COVID-19 prevention compliance.* The Conversation. <https://public-health.uq.edu.au/article/2022/05/jakartans-trust-government-more-compared-people-south-sulawesi-and-influenced-covid-19-prevention-compliance>
- Restivo, V., Minutolo, G., Battaglini, A., Carli, A., Capraro, M., Gaeta, M., Odone, A., Trucchi, C., Favaretti, C., Vitale, F., & Casuccio, A. (2022). Leadership Effectiveness in Healthcare Settings: A Systematic Review and Meta-Analysis of Cross-Sectional and Before–After Studies. In *International Journal of Environmental Research and Public Health* (Vol. 19, Issue 17). <https://doi.org/10.3390/ijerph191710995>

Author names dkk / Scientific Periodical of Public Health and Coastal 4(2),2022 , halaman 87-99 (10pt, all caps, Cambria, Normal)

- Siswati, T., Kasjono, H. S., & Olfah, Y. (2022). "Posbindu PTM": The Key of Early Detection and Decreasing Prevalence of Non-Communicable Diseases in Indonesia. *Iranian Journal of Public Health*, 51(7), 1683–1684. <https://doi.org/10.18502/ijph.v51i7.10105>
- Soraya, S., Syamanta, T., Harahap, H. S. R. B., Coovadia, C., & Greg, M. (2023). Impact of the National Health Insurance Program (JKN) on Access to Public Health Services: A Comprehensive Analysis. *Jurnal Ilmu Pendidikan Dan Humaniora*, 12(3), 133–151. <https://doi.org/10.35335/jiph.v12i3.7>
- Torar, R. H., & Wulandari, C. I. (2023). Pengaruh Gaya Kepemimpinan Transformasional kepala Ruang terhadap Implementasi Budaya Keselamatan Pasien di RS : Literature Review. *Media Publikasi Promosi Kesehatan Indonesia (MPPKI)*, 6(8), 1545–1553. <https://doi.org/10.56338/mppki.v6i8.3669>
- Tsapidou, E., Kelesi, M., Rovithis, M., Katharakis, G., Gerogianni, G., Dafogianni, C., Toylia, G., Fasoi, G., & Stavropoulou, A. (2024). Transformational Leadership—Quality Achievements and Benefits for the Healthcare Organizations: A Scoping Review. In *Hospitals* (Vol. 1, Issue 1, pp. 87–103). <https://doi.org/10.3390/hospitals1010008>
- Tuti, R. W., Nurmandi, A., & Zahra, A. A. (2022). Handling COVID-19 in the capital city of Jakarta with innovation policy: the scale of social restrictions policy. *Heliyon*, 8(5), e09467. <https://doi.org/10.1016/j.heliyon.2022.e09467>
- Williams, S. N., Dienes, K., Jaheed, J., Wardman, J. K., & Petts, J. (2023). Effectiveness of communications in enhancing adherence to public health behavioural interventions: a COVID-19 evidence review. *Philosophical Transactions. Series A, Mathematical, Physical, and Engineering Sciences*, 381(2257), 20230129. <https://doi.org/10.1098/rsta.2023.0129>
- World Health Organization. (2024). *Community engagement for quality health services*. WHO.Int. <https://doi.org/10.3109/9780824706081.156>
- Xiao, F.-X., Lin, Y., Kuang, J.-F., Yang, L.-L., & Wang, Q. (2025). How and when servant leadership affect public employees' innovative behavior. *Scientific Reports*, 15(1), 26705. <https://doi.org/10.1038/s41598-025-11504-x>
- Zia ud din, M., Yuan yuan, X., Ullah Khan, N., & Estay, C. (2024). The impact of public leadership on collaborative administration and public health delivery. *BMC Health Services Research*, 24(1), 129. <https://doi.org/10.1186/s12913-023-10537-0>

Page
PAG
E
MER
GEF
ORM
AT